

Author Index

- Anestiev, L. A., 115
Arsenault, R. J., 55
- Baker, I., 27
Baker, T. N., 255
Bhadeshia, H. K. D. H., 99
Bourell, D. L., 243
Burke, M. G., 187
- Chandler, H. D., 177
Chao, Y.-Y., L1
Chen, J., 9
Choi, Y.-H., 39
Coheur, L., 1
Crawford, D. G., 255
- Daniel, D., 161
Delavignette, P., 1
- Feng, C. R., 55
- Giordano, L., 215
Greulich, F. A., 221
Guha, S., 27
- Ha, H.-C., 231
Hatta, H., 133, 145
Hermann, R., 47
Hon, W. P., 85
Hon, Y., 273
- Jin, Z., 203
Jonas, J. J., 161
- Kattamis, T. Z., 265
Kehagias, Th., 1
Kettunen, P., 171
Koczak, M. J., 69
Koo, C. H., 85
Kostorz, G., 171
Kozlov, A. V., 17
Kuokkala, V.-T., 171
- Lee, Y.-W., 39
Lee, Y. J., 123
Lepisto, T. K., 171
Lian, J.-S., 9
Liaw, P. K., 187
Lim, C., 231
Lin, D. W., 161
Liu, C., 203
Lucas, J. P., 221
- Marcus, H. L., 243
Matteazzi, P., 215
Miller, P. R., 123
Muddle, B. C., 123
Munroe, P. R., 27
- Niessen, P., 153
- Pakiela, Z., 77
Persad, C., 243
Piccone, T. J., 265
Pick, R. J., 153
Pyun, S.-I., 231
- Raghunathan, S. K., 243
Rao, G. V., 187
- Sahoo, P., 69
Selitser, S. I., 17
Shen, P., 273
Shi, C., 203
Shi, N., 55
Stephens, J. J., 221
Sundaresan, R., 237
Suryanarayana, C., 237
- Takei, T., 133, 145
Tang, N.-Y., 153
Taya, M., 133, 145
Tiziani, A., 215
- Varma, S. K., L1
- Wang, L., 55
Worswick, M. J., 153
Wu, C.-J., 93
Wu, S. K., 85
Wu, W., 203
Wyrzykowski, J. W., 77
- Yang, J. R., 99
Yang, R., 93
Yu, L., 203
Yu, Z., 203
- Zambon, A., 215
Zhang, D.-B., 93



Subject Index

- Acoustoplastic effect
kinetics of the acoustoplastic effect, 17
- Aging
creep fracture behavior of 2½Cr-1Mo welds from a 31-year-old fossil power plant, 187
- Alloying
metastable phases in mechanically alloyed Al-Mn powder mixtures, 237
- Alloys
rheology of semisolid Al-4.5%Cu-1.5%Mg alloy, 265
the tensile properties of a textured Ti₆₅Al₂₅Nb₁₀ alloy, 85
- Aluminium
effect of strain rate on the dislocation cell size at various stress levels during uniaxial tensile testing of electrical conductor aluminium, L1
localized deformation of SiC-Al composites, 55
metastable phases in mechanically alloyed Al-Mn powder mixtures, 237
microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69
rheology of semisolid Al-4.5%Cu-1.5%Mg alloy, 265
room temperature deformation behavior of multiphase Ni-20at.%Al-30at.%Fe and its constituent phases, 27
the effect of reinforcement stability on composition redistribution in cast aluminium metal matrix composites, 221
the tensile properties of a textured Ti₆₅Al₂₅Nb₁₀ alloy, 85
- Analytical electron microscopy
identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
- Austenite
continuous heating transformation of bainite to austenite, 99
effect of grain boundary phenomena on the softening of 316L austenitic steel at high temperatures, 77
retained austenite variation in dual-phase steel after mechanical stressing and heat treatment, 215
- Bainite
continuous heating transformation of bainite to austenite, 99
- Calcium
phase transformations of (Ca,Ti)-partially stabilized zirconia, 273
- Carbon
identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
localized deformation of SiC-Al composites, 55
microstructure and toughness of low carbon steel weld metal, 255
microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69
- Carbonitride precipitates
identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
- Casting
an analysis of the dependence between the ribbon dimensions and the technological parameters by the planar flow casting method, 115
the effect of reinforcement stability on composition redistribution in cast aluminium metal matrix composites, 221
- Cerium
interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
- Characterization
characterization of mode I stress intensity factors by the shadow optical method, 47
- Chromium
creep fracture behavior of 2½Cr-1Mo welds from a 31-year-old fossil power plant, 187
identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
- Composites
high-energy, high-rate consolidation of tungsten and tungsten-based composite powders, 243
localized deformation of SiC-Al composites, 55
microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69
the effect of reinforcement stability on composition redistribution in cast aluminium metal matrix composites, 221
thermal expansion behavior of particulate-filled composites I: single reinforcing phase, 133
thermal expansion behavior of particulate-filled composites II: multi-reinforcing phases (hybrid composites), 145
- Composition
the effect of reinforcement stability on composition redistribution in cast aluminium metal matrix composites, 221
- Computer modelling
interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
- Conductors
effect of strain rate on the dislocation cell size at various stress levels during uniaxial tensile testing of electrical conductor aluminium, L1
- Copper
an investigation of shock-induced damage in oxygen-free high conductivity copper, 153
microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69

- rheology of semisolid Al-4.5%Cu-1.5%Mg alloy, 265
 small-angle neutron scattering from fatigued copper single crystals, 171
- Copper single crystals
 small-angle neutron scattering from fatigued copper single crystals, 171
- Crack initiation
 creep crack initiation and propagation in type 304 stainless steel at 873 K, 39
- Crack propagation
 creep crack initiation and propagation in type 304 stainless steel at 873 K, 39
- Creep
 creep crack initiation and propagation in type 304 stainless steel at 873 K, 39
 creep fracture behavior of 2½Cr-1Mo welds from a 31-year-old fossil power plant, 187
 effects of creep on the microstructural features of an oxide-dispersion-strengthened superalloy, 1
- Deformation
 localized deformation of SiC-Al composites, 55
 room temperature deformation behavior of multiphase Ni-20at.%Al-30at.%Fe and its constituent phases, 27
- Earing
 simulation of earing in textured materials, 161
- Fatigue
 small-angle neutron scattering from fatigued copper single crystals, 171
- Fracture
 creep fracture behavior of 2½Cr-1Mo welds from a 31-year-old fossil power plant, 187
 plastic instability and strain to fracture for damaged materials, 9
- Grain boundaries
 effect of grain boundary phenomena on the softening of 316L austenitic steel at high temperatures, 77
 effect of sulphur segregated at grain boundaries on the behaviour of hydrogen permeation through iron, 231
 interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
- Heat treatment
 retained austenite variation in dual-phase steel after mechanical stressing and heat treatment, 215
- Heating
 continuous heating transformation of bainite to austenite, 99
- Hydrogen
 effect of sulphur segregated at grain boundaries on the behaviour of hydrogen permeation through iron, 231
- Ion plating
 microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
- Iron
 effect of sulphur segregated at grain boundaries on the behaviour of hydrogen permeation through iron, 231
- interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
 room temperature deformation behavior of multiphase Ni-20at.%Al-30at.%Fe and its constituent phases, 27
- Kinetics
 kinetics of the acoustoplastic effect, 17
- Magnesium
 rheology of semisolid Al-4.5%Cu-1.5%Mg alloy, 265
- Manganese
 metastable phases in mechanically alloyed Al-Mn powder mixtures, 237
- Microstructure
 effects of creep on the microstructural features of an oxide-dispersion-strengthened superalloy, 1
 microstructure and toughness of low carbon steel weld metal, 255
 microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
 microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69
- Molybdenum
 creep fracture behavior of 2½Cr-1Mo welds from a 31-year-old fossil power plant, 187
 identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
- Neutron scattering
 small-angle neutron scattering from fatigued copper single crystals, 171
- Nickel
 room temperature deformation behavior of multiphase Ni-20at.%Al-30at.%Fe and its constituent phases, 27
- Niobium
 the tensile properties of a textured Ti₆₅Al₂₅Nb₁₀ alloy, 85
- Nitrogen
 identification of carbonitride precipitates in a 1wt.%Cr-0.5wt.%Mo steel using analytical electron microscopy, 123
 microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
- Oxygen
 an investigation of shock-induced damage in oxygen-free high conductivity copper, 153
 effects of creep on the microstructural features of an oxide-dispersion-strengthened superalloy, 1
- Phase transformations
 phase transformations of (Ca,Ti)-partially stabilized zirconia, 273
- Phosphorus
 interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
- Planar flow casting
 an analysis of the dependence between the ribbon dimensions and the technological parameters by the planar flow casting method, 115

- Plastic instability
 - plastic instability and strain to fracture for damaged materials, 9
- Plasticity
 - plastic instability and strain to fracture for damaged materials, 9
- Powders
 - metastable phases in mechanically alloyed Al-Mn powder mixtures, 237
- Reinforcement
 - the effect of reinforcement stability on composition redistribution in cast aluminium metal matrix composites, 221
 - thermal expansion behavior of particulate-filled composites I: single reinforcing phase, 133
 - thermal expansion behavior of particulate-filled composites II: multi-reinforcing phases (hybrid composites), 145
- Retained austenite
 - retained austenite variation in dual-phase steel after mechanical stressing and heat treatment, 215
- Ribbons
 - an analysis of the dependence between the ribbon dimensions and the technological parameters by the planar flow casting method, 115
- Segregation
 - interaction between cerium and phosphorus segregating in the grain boundaries in α -Fe studied by computer modelling and Auger electron spectroscopy, 93
- Shadow optical method
 - characterization of mode I stress intensity factors by the shadow optical method, 47
- Silicon
 - localized deformation of SiC-Al composites, 55
- Softening
 - effect of grain boundary phenomena on the softening of 316L austenitic steel at high temperatures, 77
- Stainless steel
 - creep crack initiation and propagation in type 304 stainless steel at 873 K, 39
- Steel
 - microstructure and toughness of low carbon steel weld metal, 255
- Strain
 - plastic instability and strain to fracture for damaged materials, 9
- Strain rate
 - effect of strain rate on the dislocation cell size at various stress levels during uniaxial tensile testing of electrical conductor aluminium, L1
- Strengthening
 - effects of creep on the microstructural features of an oxide-dispersion-strengthened superalloy, 1
- Stress
 - characterization of mode I stress intensity factors by the shadow optical method, 47
 - effect of strain rate on the dislocation cell size at various stress levels during uniaxial tensile testing of electrical conductor aluminium, L1
 - retained austenite variation in dual-phase steel after mechanical stressing and heat treatment, 215
- Stress intensity factor
 - characterization of mode I stress intensity factors by the shadow optical method, 47
- Sulphur
 - effect of sulphur segregated at grain boundaries on the behaviour of hydrogen permeation through iron, 231
- Superalloys
 - effects of creep on the microstructural features of an oxide-dispersion-strengthened superalloy, 1
- Tensile properties
 - the tensile properties of a textured $\text{Ti}_{65}\text{Al}_{25}\text{Nb}_{10}$ alloy, 85
- Tensiles
 - effect of strain rate on the dislocation cell size at various stress levels during uniaxial tensile testing of electrical conductor aluminium, L1
- Texture
 - simulation of earing in textured materials, 161
 - the tensile properties of a textured $\text{Ti}_{65}\text{Al}_{25}\text{Nb}_{10}$ alloy, 85
- Thermal expansion
 - thermal expansion behavior of particulate-filled composites I: single reinforcing phase, 133
 - thermal expansion behavior of particulate-filled composites II: multi-reinforcing phases (hybrid composites), 145
- Titanium
 - microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
 - microstructure-property relationships of *in situ* reacted TiC/Al-Cu metal matrix composites, 69
 - phase transformations of (Ca,Ti)-partially stabilized zirconia, 273
 - the tensile properties of a textured $\text{Ti}_{65}\text{Al}_{25}\text{Nb}_{10}$ alloy, 85
- Transmission electron microscopy
 - microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
- Tungsten
 - high-energy, high-rate consolidation of tungsten and tungsten-based composite powders, 243
- Weld metal
 - microstructure and toughness of low carbon steel weld metal, 255
- Welds
 - creep fracture behavior of $2\frac{1}{2}\text{Cr}-1\text{Mo}$ welds from a 31-year-old fossil power plant, 187
- Yttrium
 - microstructure characterization of yttrium-modified reactive-ion-plated Ti(Y)N coatings by means of transmission electron microscopy, 203
- Zirconia
 - phase transformations of (Ca,Ti)-partially stabilized zirconia, 273

